



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/762,866	01/22/2004	Kevin J. Turpin	40726/4	5921

7590
STOEL RIVES LLP
One Utah Center
Suite 1100
201 South Main Street
Salt Lake City, UT 84111

08/10/2007

EXAMINER

RAYYAN, SUSAN F

ART UNIT	PAPER NUMBER
----------	--------------

2167

MAIL DATE	DELIVERY MODE
-----------	---------------

08/10/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/762,866

Applicant(s)

TURPIN ET AL.

Examiner

Susan F. Rayyan

Art Unit

2167

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 03 May 2007.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-43 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-43 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- ☐ Notice of Informal Patent Application
- ☐ Other: _____

Response to Arguments

1. Applicant's arguments, see amendment, filed May 3, 2007, with respect to the rejection(s) of claim(s) 1-5, 9-15, 19-25, 31-35, 39-43 under 35 U.S.C. 102(a) as being anticipated by US 2004/0083245 issued to Donald E. Beeler JR. and claims 6-8, 16-17, 26-30, 36-37 under 35 U.S.C. 103(a) as being unpatentable over US 2004/0083245 issued to Donald E. Beeler JR in view of US 2003/0221076 issued to Charles A. Milligan et al. have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of US Patent Publication Number 2002/0087588 issued to Stephen Larry McBride et al ("McBride").

2. Applicant's arguments with respect to claims 1-43 have been considered but are moot in view of the new ground(s) of rejection.

DETAILED ACTION

3. Claims 1-43 are pending.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the

Art Unit: 2167

invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-5,9-15, 19-25, 31-35,39-43 are rejected under 35 U.S.C. 103(a) as being unpatentable over US 2004/0083245 issued to Donald E. Beeler JR. (“Beeler”) in view of US Patent Publication Number 2002/0087588 issued to Stephen Larry McBride et al (“McBride”).

As per claim 1 Beeler teaches:

A method for imaging a file system in a partition comprising a plurality of allocation units (see paragraph 16), the method comprising:
copying each allocation unit occupied by a ... file of the file system to a ... stored image file, wherein the ... stored image file ... as the file system (paragraph 20, 79 as data replicated to a file system being backed up of the source server and the replicated data is stored in a separate directory); and
adding a directory map to the locally-stored image file that associates copied allocation units in the locally-stored image file with names of corresponding files from the file system (paragraph 20, 91, and Figure 25, Reference Number 254, directories and files are copied to a separate directory which would include a directory map to access to the files and 103, creating a directory).

Beeler does not explicitly teach a plurality of file and locally-stored image file is within the same partition. McBride does teach plurality of files (paragraph 35, mirroring data files) and locally-stored image file is within the same partition (paragraph 16, as local data storage backup may be a hard drive of the host computer) to simplify backup process and provide adequate protection of important information. It would have

been obvious to a person of ordinary skill in the art at the time of the invention to modify Beeler with a plurality of file and locally-stored image file is within the same partition to simplify backup process and provide adequate protection of important information as described by McBride (paragraph 13, lines 1-4).

As per claim 2, same as claim arguments above and Beeler teaches:
wherein copying comprises compressing at least a subset of the allocation units (paragraph 38, data being copied is compressed prior to transmission using a variety of compression algorithms).

As per claim 3 same as claim arguments above and Beeler teaches:
wherein copying comprises: maintaining a record of a pre-imaging state of the file system (paragraph 26, lines 5-6 a database of files to be replicated is maintained on the source computer equates to maintaining a pre-imaging state) and copying only allocation units occupied by files included within the pre-imaging state of the file system (paragraph 26, lines 7-9, as copying only those files from the group considered critical).

As per claim 4 same as claim arguments above and Beeler teaches:

wherein adding comprises grouping within the locally-stored image file the copied allocation units for individual files of the file system (paragraph 79, data is replicated to the local file system) .

As per claim 5 Beeler same as claim arguments above and Beeler teaches:

wherein copying comprises storing within the locally-stored image file one or more attributes related to each file, wherein the attributes are selected from the group consisting of ownership attributes, access-control attributes, timestamp attributes, archival attributes, indexing attributes, encryption attributes, and compression attributes (paragraph 91, lines 3-6 and Figure 25 Reference Number 254, file information, file ownership, permissions associated with the file are included in the replication) .

As per claim 9 Beeler same as claim arguments above and Beeler teaches: further comprising protecting the ...stored image file from accidental deletion or modification (paragraph 112, lines 23-27, providing a locking protocol).

As per claim 10 same as claim arguments above and Beeler teaches: providing a filter driver that intercepts and denies requests to access the locally stored image file and initiating a process that opens and thereby locks the ...stored image file (paragraph 112, line 12-paragraph 113, line 5, providing a locking protocol).

As per independent claim 11 Beeler teaches:

accessing a ... stored image file ... comprising a directory map and file data for a plurality of files (paragraph 20, 29, accessing all replicated data on the target server (locally-stored file));

initializing at least a subset of the allocation units of the partition not occupied by the ... stored image file including one or more allocation units used for a directory area of the partition (paragraph 101, 103, requested operations include write file, create directory , change file attribute ect.);

extracting the file data into the initialized allocation units without disturbing the locally-stored image file (paragraph 101, 103, requested operations include write file, create directory , change file attribute ect. and paragraph 91, replication set copied from the source to the target server (locally stored to the initialized);

creating a new directory area for the partition using the directory map (paragraph 29, 101, 103, create directory).

Beeler does not explicitly teach a plurality of file and locally-stored image file located within the same partition. McBride does teach plurality of files (paragraph 35, mirroring data files) and locally-stored image file is within the same partition (paragraph 16, as local data storage backup may be a hard drive of the host computer) to simplify backup process and provide adequate protection of important information. It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Beeler with a plurality of file and locally-stored image file located within the partition to simplify backup process and provide adequate protection of important information as described by McBride (paragraph 13, lines 1-4).

As per claim 12 Beeler teaches:

wherein the directory map associates names for the plurality of files with corresponding portions of the file data, and wherein creating comprises generating a new directory area for the partition that associates the file names with the extracted file data (paragraph 20, 91, and Figure 25, Reference Number 254, directories and files are copied to a separate directory which would include a directory map to access to the files and 103, creating a directory).

As per claim 13 same as claim arguments above and Beeler a teaches:

wherein creating comprises adding an indication of the ... stored image file to the new directory area (paragraph 103, create directory).

As per claim 14 same as claim arguments above and Beeler teaches:

wherein extracting comprises decompressing at least a subset of the file data (Figure 29 and paragraphs 38, decompress data).

As per claim 15 same as claim arguments above and Beeler teaches:

wherein the directory map indicates at least one attribute for a file, and wherein creating comprises setting the at least one attribute for the file in the directory area, wherein the at least one attribute is selected from the group consisting of an ownership attribute, an access control attribute, a timestamp attribute, an archival attribute, an

indexing attribute, an encryption attribute, and a compression attribute(paragraph 91, lines 3-6 and Figure 25 Reference Number 254, file information, file ownership, permissions associated with the file are included in the replication) .

As per claim 19 same as claim arguments above Beeler teaches: further comprising protecting the ...stored image file from accidental deletion(paragraph 112, lines 23-27, providing a locking protocol).

As per claim 20 same as claim arguments above and Beeler teaches:
wherein protecting is selected from the group consisting of:
providing a filter driver that intercepts and denies requests to access the locally stored image file; and initiating a process that opens and thereby locks the ... stored image file(paragraph 112, line 12-paragraph 113, line 5, providing a locking protocol for the locally stored image file (target server).

As per claim 21 Beeler teaches:

An apparatus for backing up a file system in a partition comprising a plurality of allocation units, the apparatus comprising: a local imager to copy each allocation unit occupied by ... file of the file system to a stored image file, ...as the file system; and wherein the local imager is to add a directory map to the ... stored image file that associates copied allocation units in the ... stored image file with names of corresponding files from the file system(paragraph 20, 79 as data replicated to a local file system of the source

Art Unit: 2167

server and the replicated data is stored in a separate directory and paragraph 20, 91, and Figure 25, Reference Number 254, directories and files are copied to a separate directory which would include a directory map to access to the files, paragraph 103, create directory).

Beeler does not explicitly teach a plurality of file and locally-stored image file located within the same partition. McBride does teach plurality of files (paragraph 35, mirroring data files) and locally-stored image file is within the same partition (paragraph 16, as local data storage backup may be a hard drive of the host computer) to simplify backup process and provide adequate protection of important information. It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Beeler with a plurality of file and locally-stored image file located within the partition to simplify backup process and provide adequate protection of important information as described by McBride (paragraph 13, lines 1-4).

As per claim 22 same as claim arguments above and Beeler teaches:

wherein the local imager is to compress at least a subset of the allocation units copied to the locally-stored image file(paragraph 38, data being copied is compressed prior to transmission using a variety of compression algorithms).

Art Unit: 2167

As per claim 23 same as claim arguments above and Beeler teaches:

wherein the local imager is to maintain a record of a pre-imaging state of the file system and to copy only allocation units occupied by files included within the pre-imaging state of the file system (paragraph 26, lines 5-6 a database of files to be replicated is maintained on the source computer equates to maintaining a pre-imaging state and paragraph 26, lines 7-9, as copying only those files from the group considered critical).

As per claim 24, same as claim arguments above and Beeler anticipates:

wherein the local imager is to group within the locally-stored image file the copied allocation units for individual files of the file system (paragraph 79, data is replicated to the local file system) .

As per claim 25 same as claim arguments above and Beeler teaches:

wherein the local imager is to store within the locally-stored image file one or more attributes relating to at least one file of the file system, wherein the file attributes are selected from the group consisting of ownership attributes, access-control attributes, timestamp attributes, archival attributes, indexing attributes, encryption attributes, and compression attributes (paragraph 91, lines 3-6 and Figure 25 Reference Number 254, file information, file ownership, permissions associated with the file are included in the replication) .

As per claim 29 same as claim arguments above and Beeler teaches:
further comprising a protection component to prevent accidental deletion or modification of the locally-stored image file (paragraph 112, lines 23-27, providing a locking protocol for the locally stored image file (target server which equates to the locally stored image)).

As per claim 30 same as claim arguments above and Beeler teaches:
wherein the protection component is selected from the group consisting of: a filter driver that intercepts and denies requests to access the locally-stored image file (paragraph 112, line 12-paragraph 113, line 5, providing a locking protocol for the locally stored image file (target server which equated to the locally stored image)).

As per independent claim 31 Beeler teaches:

an image locator to find a ... stored image file within the partition image file comprising a directory map and file data for a plurality of files (paragraph 20, 29, accessing all replicated data on the target server (stored file);

a media formatter to initialize at least a subset of the allocation units of the partition not occupied by the ...-stored image file including one or more allocation units used for a directory area of the partition paragraph 101, 103, requested operations include write file, create directory, change file attribute etcetera.);

a data extractor to extract the file data into the initialized allocation units without disturbing the locally-stored image file(paragraph 101,103, requested operations include write file, create directory , change file attribute etcetera. and paragraph 91, replication set copied from the source to the target server (locally stored to the initialized);

and a directory area builder to build a new directory area for the partition using the directory map paragraph 29, 101, 103, create directory).

Beeler does not explicitly teach a plurality of file and locally-stored image file located within the same partition. McBride does teach plurality of files (paragraph 35, mirroring data files) and locally-stored image file is within the same partition (paragraph 16, as local data storage backup may be a hard drive of the host computer) to simplify backup process and provide adequate protection of important information. It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Beeler with a plurality of file and locally-stored image file located within the partition to simplify backup process and provide adequate protection of important information as described by McBride (paragraph 13, lines 1-4).

As per claim 32 same as claim arguments above and Beeler teaches:

wherein the directory map associates names for the plurality of files with corresponding portions of the file data, and wherein the directory area builder is to generate a new directory area for the partition that associates the file names with the extracted file data(paragraph 20, 91, and Figure 25, Reference Number 254, directories and files are copied to a separate directory which would include a directory map to access to the files and 103, creating a directory).

As per claim 33 same as claim arguments above and Beeler teaches:

wherein the directory area builder is to add an indication of the locally-stored image file to the new directory area (paragraph 103 create directory).

As per claim 34 same as claim arguments above and Beeler a teaches:

wherein the data extractor is to decompress at least a subset of the file data (Figure 29 and paragraphs 38, decompress data).

As per claim 35 same as claim arguments above and Beeler teaches:

wherein the directory map indicates at least one attribute for a file, wherein the directory area builder is to set the at least one attribute of the file in the directory area, and wherein the at least one attribute is selected from the group consisting of an ownership attribute, an access control attribute, a timestamp attribute, an archival attribute, an indexing attribute, an encryption attribute, and a compression attribute(paragraph 91, lines 3-6 and Figure 25 Reference Number 254, file information, file ownership, permissions associated with the file are included in the replication) .

As per claim 39 same as claim arguments above and Beeler teaches:

further comprising a protection component to prevent accidental deletion of the locally-stored image file (paragraph 112, lines 23-27, providing a locking protocol for the locally stored image file (target server).

As per claim 40 same as claim arguments above and Beeler teaches:

wherein the protection component is selected from the group consisting of: a filter driver that intercepts and denies requests to access the locally-stored image file and a process that opens and thereby locks the locally-stored image file (paragraph 112, line 12-paragraph 113, line 5, providing a locking protocol for the locally stored image file (target server which equated to the locally stored image)).

As per independent claim 41 Beeler teaches:

copying each allocation unit occupied by a file of the file system to a ... stored image file, wherein the locally-stored image file is located...as the file system (paragraph 20, 79 as data replicated to a local file system of the source server and the replicated data is stored in a separate directory); and

adding a directory map to the ... image file that associates copied allocation units in the ... image file with names of corresponding files from the file system (paragraph 20, 91, and Figure 25, Reference Number 254, directories and files are copied to a separate directory which would include a directory map to access to the files);

Art Unit: 2167

... a directory map and file data for a plurality of files (paragraph 20, 29, accessing all replicated data on the target server (locally-stored file);
initializing at least a subset of the allocation units of the partition not occupied by the locally-stored image file including one or more allocation units used for a directory area of the partition (paragraph 101,103, requested operations include write file, create directory , change file attribute ect.);
extracting the file data into the initialized allocation units without disturbing the locally-stored image file(paragraph 101,103, requested operations include write file, create directory , change file attribute ect. and paragraph 91, replication set copied from the source to the target server (locally stored to the initialized);
creating a new directory area for the partition using the directory map
(paragraph 29, 101, 103, create directory).

Beeler does not explicitly teach a plurality of file and locally-stored image file located within the same partition. McBride does teach plurality of files (paragraph 35, mirroring data files) and locally-stored image file is within the same partition (paragraph 16, as local data storage backup may be a hard drive of the host computer) to simplify backup process and provide adequate protection of important information. It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Beeler with a plurality of file and locally-stored image file located within the partition to simplify backup process and provide adequate protection of important information as described by McBride (paragraph 13, lines 1-4).

Claim 42 and 43 are rejected based on the same rationale as claim 1 and 11.

Claims 6-8, 16-17, 26-30, 36-37 are rejected under 35 U.S.C. 103(a) as being unpatentable over Beeler in view of McBride as applied to claims 1, 11, 21, 31, above and further in view of US 2003/0221076 issued to Charles A. Milligan et al .

As per claim 6 same as claim arguments above and Beeler in view of McBride do not explicitly teach comprising marking a beginning point of the locally-stored image file to assist in locating the locally-stored image file in the event of directory area corruption.

Milligan does teach this limitation at Figure 4, pointer to a track level where the record is stored to provide structure level points that are not fixed and can achieve fine granularity without requiring enormous number of pointers. It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Beeler in view of McBride with marking a beginning point of the locally-stored image file to assist in locating the locally-stored image file in the event of directory area corruption to provide structure level points that are not fixed and can achieve fine granularity without requiring enormous number of pointers (paragraph 11).

As per claim 7 same as claim arguments above and Milligan teaches:

wherein marking comprises storing a unique beginning of-image marker at an initial allocation unit occupied by the locally-stored image file (Figure 4, Reference Number 450, pointer storage structure).

As per claim 8 same as claim arguments above and Milligan teaches:

wherein marking comprises storing at a predetermined area of the partition a location of an initial allocation unit occupied by the locally-stored image file (Figure 4, Reference Number 450, pointer storage structure).

As per claim 16 same as claim arguments above and Beeler in view of McBride do not explicitly teach wherein accessing comprises searching for an allocation unit containing a unique beginning-of-image marker for the locally-stored image file. Milligan does teach this limitation (Figure 4, Reference Number 450, pointer storage structure points to the record (allocation unit)) to a track level where the record is stored to provide structure level pointes that are not fixed and can achieve fine granularity without requiring enormous number of pointers. It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Beeler in view of McBride with searching for an allocation unit containing a unique beginning-of-image marker for the locally-stored image file to provide structure level pointes that are not fixed and can achieve fine granularity without requiring enormous number of pointers (paragraph 11).

As per claim 17 same as claim arguments above and Beeler in view of McBride do not explicitly teach wherein accessing comprises reading from a predetermined area of the partition a location of an initial allocation unit of the locally-stored image file. Milligan does teach this limitation at (Figure 4, Reference Number 450, pointer storage

Art Unit: 2167

structure) to provide structure level pointers that are not fixed and can achieve fine granularity without requiring enormous number of pointers. It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Beeler in view of McBride with reading from a predetermined area of the partition a location of an initial allocation unit of the locally-stored image file to provide structure level pointers that are not fixed and can achieve fine granularity without requiring enormous number of pointers (paragraph 11).

As per claim 26 same as claim arguments above and Beeler in view of McBride do not explicitly teach comprising wherein the local imager is to mark a beginning point of the locally-stored image file to assist in locating the locally-stored image file in the event of directory area corruption. Milligan does teach this limitation at Figure 4, pointer to a track level where the record is stored to provide structure level pointers that are not fixed and can achieve fine granularity without requiring enormous number of pointers. It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Beeler in view of McBride with marking a beginning point of the locally-stored image file to assist in locating the locally-stored image file in the event of directory area corruption to provide structure level pointers that are not fixed and can achieve fine granularity without requiring enormous number of pointers (paragraph 11).

Art Unit: 2167

As per claim 27 same as claim arguments above and Milligan teaches:
wherein the local imager is to mark the beginning point by storing a unique beginning-of-image marker at an initial allocation unit occupied by the locally-stored image file(Figure 4, Reference Number 450, pointer storage structure).

As per claim 28 same as claim arguments above and Milligan teaches:
wherein the local imager is to mark the beginning point by storing at a predetermined area of the partition a location of an initial allocation unit occupied by the locally-stored image file(Figure 4, Reference Number 450, pointer storage structure).

As per claim 36 same as claim arguments above and Beeler in view of McBride do not explicitly teach wherein the image locator is to search for an allocation unit containing a unique beginning-of-image marker for the locally-stored image file. (Milligan does teach this limitation at Figure 4, Reference Number 450, pointer storage structure) to provide structure level pointers that are not fixed and can achieve fine granularity without requiring enormous number of pointers. It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Beeler in view of McBride with beginning-of-image marker for the locally-stored image file to provide structure level pointers that are not fixed and can achieve fine granularity without requiring enormous number of pointers (paragraph 11).

Art Unit: 2167

As per claim 37 and Beeler in view of McBride do not explicitly teach ... a predetermined area of the partition a location of a first allocation unit of the locally-stored image file. Milligan does teach this limitation at (Figure 4, Reference Number 450, pointer storage structure) to provide structure level pointes that are not fixed and can achieve fine granularity without requiring enormous number of pointers. It would have been obvious to a person of ordinary skill in the art at the time of the invention to modify Beeler in view of McBride with ... a predetermined area of the partition a location of a first allocation unit of the locally-stored image file to provide structure level pointes that are not fixed and can achieve fine granularity without requiring enormous number of pointers (paragraph 11).

Claims 18, 38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Beeler n view of McBride as applied to claims 11,31 above and further in view of US 2002/0095616 issued to Jeffery S. Hastings ("Hastings").

As per claim 18 same as claim arguments above and Beeler in view of McBride do not explicitly teach further comprising defragmenting the locally-stored image file within the partition prior to extracting the file data. Hasting does teach this limitation at paragraph 46, lines 9-11, a file system should first be defragmented if corrupted) as a first-level solution. It would have been obvious to a person of ordinary skill in the art at the time of the invention was made to modify Beeler in view of McBride with defragmenting the locally-stored image file within the partition prior to extracting

Art Unit: 2167

the file data as a first-level solution to a corrupt file system (paragraph 46, lines 11-12).

As per claim 38 same as claim arguments above and Beeler in view of McBride do not explicitly teach further comprising an image defragmenter to defragment the locally-stored image file within the partition before the data extractor extracts the file data. Hasting does teach this limitation at paragraph 46, lines 9-11, a file system should first be defragmented if corrupted) as a first-level solution. It would have been obvious to a person of ordinary skill in the art at time of the invention to modify Beeler in view of McBride with an image defragmenter to defragment the locally-stored image file within the partition before the data extractor extracts the file data as a first-level solution to a corrupt file system (paragraph 46, lines 11-12).


Contact Information


5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Susan F. Rayyan whose telephone number is 571-272-1675. The examiner can normally be reached on M-F, 7:30-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Cottingham can be reached on 571-272-7079. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2167

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.


SR
8/6/2007


Cheng Kim
Primary Examiner
AU 2167